



DECLARATION



Declaration of Conformity

Declaration
of Conformity **K88330/02**

Date **2022-01-15**
Replaces : -

Kiwa declares that, based on tests, FLEXALEN PB System complying with the model as certified by Kiwa and manufactured by

Thermafex Isolatie B.V.

may, on delivery, be relied upon to comply with:

NEN-EN-ISO 15876:" Plastics piping systems for hot and cold water installations – Polybutene PB"

Part 1: General

Part 2: Pipes

Part 3: Fittings

Part 5: System

FLEXALEN PB

SPECIFICATION

The following dimensions are covered under this declaration of conformity.

16, 20, 25, 32, 40, 50, 63, 75, 90, 110, 125, 140, 160 and 225 mm.

The Flexalen PB system is tested for application class 2 & 5 according to NEN-EN-ISO 15876.

MARKING

The marking must be in compliance with NEN-EN-ISO 15876.

RECOMMENDATIONS FOR CUSTOMERS

Check at the time of delivery whether:

the products show no visible defects as a result of transport etc.

the declaration of conformity is valid.

Publication of this declaration is allowed and consists of 1 pages.

Ron Scheepers
Kiwa

Kiwa Nederland B.V.
Sir W. Churchill-laan 273
P.O. Box 70
2280 AB RIJSWIJK ZH
The Netherlands
Tel. +31 88 998 44 00
Fax +31 88 998 44 20
NL.Kiwa.info@Kiwa.com
www.kiwa.nl

Company
Thermafex Isolatie B.V.
Veerweg 1
5145 NS WAALWIJK
Postbus 531
5140 AM WAALWIJK
Tel. +31 (0)416 567777